



EIS System SOP

陳忠(chenzhong)

2022-4-20

MADE FOR GAMERS & CREATORS



網站入口(Website portal)



EIS系統連結(Website link)


<https://wx.msik.com.cn/eis>

Part1 SOP-語言切換(language switch)



1> 頁面中英文語言切換(Page Chinese and English language switching)

- ✓ 點擊右上角“中文/chinese”、“英文/english”按鈕就可實現頁面中英文切換
- ✓ Click the "中文/chinese " and "英文/english " buttons in the upper right corner to switch between Chinese and English



Part2 SOP-註冊登錄(Register and login)



1>註冊(Register)

链接网址在系统右上角点击“login in”进入用户注册登录页面

Link web address,Click "login in" in the upper right corner of the system,Enter the user registration page

The image shows a screenshot of the MSI website's user interface. At the top, there is a dark navigation bar with the following elements from left to right: a heart icon followed by 'WelCome:', a Twitter icon followed by 'MSI Official Website', a 'Login In' button with a user icon, and a language selector '英文/English' with a dropdown arrow. The 'Login In' button is highlighted with a red rectangular box. A red arrow originates from the bottom of this box and points downwards to the 'LOGIN' button on the login form below.

The login form, titled 'Login to Your Account', contains the following fields and elements:

- A text input field labeled 'Username *'.
- A text input field labeled 'Password'.
- A dark button labeled 'LOGIN'.
- A link labeled 'Lost your password?'.
- A link labeled 'No account? Create one here.'



Part2 SOP-註冊登錄(Register and login)

1> 註冊(Register)

如果已有账号 · 直接输入账号密码登录 · 如果没有点击 “create one here” 或 “[点击这里创建](#)” 进入注册页面创建账号

If you have an account · Input account number directly to login · If not · click “[create one here](#)” Enter the registration page to create an account

Login to Your Account

[Lost your password?](#)
[No account? Create one here.](#)

Register

Creat New Account

Already have an account? [Log in instead!](#)

(check here to select rcname)

 read and agree [MSI terms of use for services](#)

Register successful

Dear all:

您好, 已有用户完成注册, 请帮忙审核

(Hello, the user has completed the registration, please help to examine)

审核链接 (Audit link): <https://wx.msik.com.cn/eis/checkuserlogin.action?mail=&username=neweistest&password=Chen@123456&rcname=MSI-TK2&lob=NB>

详细信息如下 (detailed information as follows):

LOB	NB
RCNAME	MSI-TK2
USERNAME	neweistest
PASSWORD	Chen@123456

Part2 SOP-註冊登錄(Register and login)



1> 註冊(Register)

审核人员审核后，系统通知用户账号申请成功

After the audit, the system sends an email to inform the user that the account application is successful

用户审核

输入邮箱地址审核规则 (格式: XXXXX@msi.com)

请输入密码

提交

msi 用户审核列表

username neweistest

共有 1 条信息

LOB	RCNAME	用户名	密码	EMAIL	状态	审核人	审核
NB	MSI-TK2	neweistest	Chen@123456	chenzhong@msi.com	待审核		

Dear chenzhong

您好, 您注册的账号已经完成审核

(Hello, your registered account has been approved)

网址链接 (website link): <https://wx.msik.com.cn/eis/>

详细信息如下 (detailed information as follows):

LOB	NB
RCNAME	MSI-TK2
USERNAME	neweistest
PASSWORD	Chen@123456



Part2 SOP-註冊登錄(Register and login)

2>密碼重置(Password reset)

- ✓ : 未登錄狀態下 · 用戶通過登錄頁面“忘記密碼”，“Lost your password?”按鈕，從頁面設置找回密碼
- ✓ : When not logged in, the user can use Button "忘記密碼" and "lose your password" to retrieve the password from the page settings

Login to Your Account

--Select Login mode--

chenzhong

.....

LOGIN

Lost your password?

No account? [Create one here.](#)

Recovery Password

chenzhong

填写正确用户名和email重置密码 (Fill in the correct user name and email to reset the password)

.....

MSI email@[msi.com]

SUBMIT



Part2 SOP-註冊登錄(Register and login)

3>用戶登錄

- ✓ 點擊右上角“登錄”、“Login”按鈕進行賬號登錄
- ✓ Click the "login" and "login" buttons in the upper right corner to log in the account

msi

Home HOME SERVICE WEBSITES LINK

Welcome: MSI Official Website **Login In** 英文/English

Login to Your Account

选择账号类型(Select account type)

--Select Login mode--

chenzhong

输入用户名密码(Enter user name and password)

.....

LOGIN

Lost your password?

No account? [Create one here.](#)

Part3 SOP-使用查詢(search)



1> 頁面導航(Page navigation)

- ✓ 登录后·在首页可以看到“服务项目”“相关网站”“功能模块”“新产品与新技术”四个分类
- ✓ After logging in, you can see the four categories of "service", "websites link", "module" and "new product" on the home page

The screenshot shows the MSI website's navigation bar and a dropdown menu for the 'SERVICE' category. The navigation bar is black with the MSI logo on the left. On the right, there is a user profile 'WelCome: Chenzhong' (highlighted with a red box), followed by links for 'MSI Official Website', 'Login Out', 'UpdatePassword', 'Back-Page', and a language selector '英文/English'. Below the navigation bar, a grey menu contains 'Home', 'HOME', 'SERVICE' (highlighted with a red box), 'WEBSITES LINK', 'MODULE', and 'NEWPRODUCT'. The 'SERVICE' dropdown menu is open, showing a grid of categories: 'NOTEBOOK', 'VGA', 'AIO&DT', 'Monitor', 'MB', and 'EPS&IPS'. The entire dropdown menu area is highlighted with a red box.

NOTEBOOK	AIO&DT	MB
VGA	Monitor	EPS&IPS

Part3 SOP-使用查詢(search)



1> 頁面導航(Page navigation)

- ✓ 選擇相應分類，可瀏覽對應內容 (sample : 選擇服務項目下的 “NOTEBOOK”) ,進入內容頁面 · 可以看到默認分類 (產品配置) 的內容 · 在左上角紅框處可以進行分類篩選
- ✓ Select the corresponding category to browse the corresponding content (sample: select "notebook" under the service), enter the content page, you can see the content of the default category (product spec), and you can filter by category in the red box in the upper left corner

The screenshot illustrates the navigation process on the MSI website. On the left, a navigation menu shows the 'SERVICE' dropdown expanded to 'NOTEBOOK'. A red arrow points from this menu to the main website interface. The main interface features a search bar at the top with the placeholder text 'Enter the search key such as Modern 14, MS-14C4, 14C4 or any keyword'. Below the search bar is a navigation bar with 'RepairInfo' selected. The 'RepairInfo' dropdown menu is open, showing various categories like 'NPI Technical Information', 'NPI Training Video', etc. The main content area displays a grid of repair-related information, including 'Product Spec', 'Repair Error Code', and 'Repair RMA Code'. A red box highlights the search bar area, indicating where users can filter by category.

Part3 SOP-使用查詢(search)



2> 搜索(search)

- ✓ : 在內容頁·通過搜索框輸入機種可以模糊查詢 (以MS-16U6 為例) · 點擊左側的分類可對內容進行歸類
- ✓ : On the content page, enter the model through the search box to make fuzzy query (example : MS-16U6), and click the classification on the left to classify the content

Search > MS-16U6

REPAIRINFO

- NPI Technical Information(15)
- Product Spec(2)
- IO Appearance Diagram(2)
- Block Diagram(2)
- Mechanical Explode Graph(2)
- NB Assemble SOP(2)
- NB Disassembled SOP(2)
- Repair Error Code(1)
- Repair RMA Code(1)
- HDD IMAGE(1)
- bitmap(0)
- scheme(0)
- NPI Training Video(19)
- NEC NPI Technical Information(0)
- BIOS And EC(4)

Marketname	Sub_category	Filename	time	Operate
ALPHA 15	ASSY(L2)	MS-16U6 EN(20191128).pdf	2022-04-18 14:54:18	r u u
Alpha 15	ASSY(L2)	MS-16U6 EN(20200831).pdf	2022-04-18 14:54:18	r u u
Alpha15 A3DDK	ASSY(L2)	MS-16U6 EN(20200426).pdf	2022-04-18 14:54:18	r u u
Alpha15 A3DDK	ASSY(L2)	MS-16U6 EN(20200421).pdf	2022-04-18 14:54:18	r u u
ALPHA 15 A3DD	ASSY(L2)	MS-16UX EN(20191119).pdf	2022-04-18 14:54:18	r u u
Alpha15 A3DDK	ASSY(L2)	MS-16U6 EN(20200325).pdf	2022-04-18 14:54:18	r u u
ALPHA 15	ASSY(L2)	MS-16U6 EN(20191213).pdf	2022-04-18 14:54:18	r u u
ALPHA 15	ASSY(L2)	MS-16U6 EN(20191119).pdf	2022-04-18 14:54:18	r u u
Alpha 15 A3DCK	ASSY(L2)	MS-16U6 EN(20201019).pdf	2022-04-18 14:54:18	r u u
all model	Introduction of NB disassembly tools	Introduction of NB disassembly tools.mp4	2021-3-12 10:50:57	u



Part4 SOP-文檔和視頻播放(PDF and Video)

1>文檔和視頻功能 (PDF and Video)

✓ : 在內容頁點擊機種 · 進入播放頁面 · 可以在線瀏覽視頻或PDF文檔

✓ : Click the model on the content page to enter the playback page, and you can browse videos or PDF documents online



RepairInfo > NPI Technical Information > Product Spec

MSI GAMING

- GT Series
- GS Series
- GE Series
- GP Series
- GL Series
- GF Series
- GV Series

Stealth 17M A12UE

MS-17R1

2022-04-22 15:48:47

Modern 15 B12M

MS-15H1

2022-05-25 15:07:22

Sword 15 A12UD

MS-15B4

2022-05-18 15:43:53

Sword 15 A12UC

MS-15B4

2022-05-18 15:41:10

→



Information > NPI Technical Information > Product Spec

MS-14C6 產品規格 (Product Spec.)

Model Name	MS-14C6	Model Name	MS-14C6
Marketing name	MS-14C6	Marketing name	MS-14C6
Series	MS-14C6	Series	MS-14C6
Panel Factor	15.6" (16:9)	Panel Factor	15.6" (16:9)
Resolution	1920x1080 (FHD)	Resolution	1920x1080 (FHD)
Display	15.6" (16:9) IPS-Level, 1920x1080 (FHD), 16:9	Display	15.6" (16:9) IPS-Level, 1920x1080 (FHD), 16:9
CPU	Intel Core i5-12400	CPU	Intel Core i5-12400
GPU	Intel Iris Xe Graphics	GPU	Intel Iris Xe Graphics
Touch	Optional Touch Screen (15.6" IPS-Level)	Touch	Optional Touch Screen (15.6" IPS-Level)
Product name	MS-14C6	Product name	MS-14C6
GPU	Intel Iris Xe Graphics	GPU	Intel Iris Xe Graphics
Thermal	MS-14C6	Thermal	MS-14C6

INFORMATION

- Filename: **MS-17R1 (Stealth 1...**
 - Marketname: **Stealth 17M A12UE**
 - Createtime: **2022-04-22 15:48:47**
 - Filetype: **pdf**
 - Filesize: **0.53MB**
 - Version: **ver:1.0**
 - View_num: **0**
 - Down_num: **0**
 - fileowner: **yunnyang**
 - uploader: **null**
- DOWNLOAD**



Part4 SOP-文檔和視頻播放(PDF and Video)

1>文檔和視頻下載 (Download)

- ✓ : 在播放頁面 · 點擊右側 “Download” 按鈕 · 可下載文檔
- ✓ : On the play page, click the "download" button on the right to download the document



information > NPI Technical Information > Product Spec

MS-14C6 產品規格 (Product Spec.)		
Version: 420-000		
Model name	Prestige 14(A2L, P210) /MS-14C6	
Marketing name	Prestige 14_A1ZUD(OIN20-P1, RTX 3050Ti) Prestige 14_A1ZUC(OIN20-P0, RTX 3050) Prestige 14_A1ZSC(ENTER-P01, RTX 1650) Prestige 14Evo_A1ZM(LUMA)	
Items	Specs	Remark
Model	Size	15.6" x 9.1"
	Form Factor	1) Premium Clamshell / Non-Touch 2) Premium Clamshell / Finger Touch (Refer to MS-14C6 as design reserve)
Display	ID	folioon MS-14C6
	MS	folioon MS-14C6
	# touch	# touch
	# touch	# touch
	Panel	Panel for list, sync with KIP file.
	Panel	Panel for list, sync with KIP file.
	Panel	Panel for list, sync with KIP file.
	Panel	Panel for list, sync with KIP file.
	Panel	Panel for list, sync with KIP file.
	Panel	Panel for list, sync with KIP file.
CPU	Processor Type	1) i5-12500H / i7-12700H
	Cache	16GB
	CPU Core	4C+8E
	GPU	RTX 3050 / RTX 3050Ti
Touch	Cover Glass	Glass cover glass with anti-fingerprint for touch sku
	Touch Type	1) Finger Touch Display & Active Pen Touch with Microsoft MPP 2.0 2) Finger Touch Display
GPU	Product name	1) RTX3050 / 2) RTX3050Ti
	Memory	1) 16GB / 2) 32GB
Thermal	Design	refer to MS-14C6 / CPU 為 3050Ti
	Part	1) Both same size

INFORMATION

- Filename: MS-17R1 (Stealth 1...
- Marketname: Stealth 17M A12UE
- Createtime: 2022-04-22 15:48:47
- Filetype: pdf
- Filesize: 0.53MB
- Version: ver:1.0
- View_num: 0
- Down_num: 0
- fileowner: yunyang
- uploadowner: null





MADE FOR GAMERS & CREATORS

